



133 CECIL STREET 12-03 KECK SENG TOWER,
SINGAPORE 069535 REPUBLIC OF SINGAPORE

PHONE : +65 62276365
FAX : +65 62256286
EMAIL : contact@chemtradeasia.com

TRADEASIA INTERNATIONAL PTE LIMITED

(CO. REG. NO. 200412014Z)

SECTION 1. Identification

1.1. Product identifier

Natural Ulexite

CAS : 1319-33-1

Trade name : Ulexite

Chemical name/synonyms: Ulexite, Sodium-Calcium Pentaborate Octahydrate

REACH Registration No: Exempt from registration under REACH Regulation according to Article 2 (7) (b). Ulexite is a natural occurring mineral which is not chemically modified, therefore, considered within the scope of Annex V (7) of the REACH Regulation.

1.2. Details of the supplier of the safety data sheet

Name: Tradeasia International Pte. Ltd

Address: 133 Cecil Street #12-03 Keck Seng Tower

Singapore 069535 - Republic of Singapore

Phone No : +65 6227 6365

1.3. Emergency Phone Numbers:

+65 6227 6365

1.4. Relevant identified uses of the substance and uses advised against

The product is used in industrial manufacturing, in particular in:

Insulation grade fiberglass,

Fertilizers,

Borosilicate glass,

There is no specified use advised against.

SECTION 2. Hazard Identification

2.1. Classification of the substance

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

No classification.

2.2. Label elements

None.

2.3. Other hazards

None.

SECTION 3. Composition/ Information on Ingredients

3.1. Substances:

Chemical Nature of the Substance / Preparation

Ulexite is a mono-constituent substance and the main constituent is Ulexite (Sodium-Calcium Pentaborate Octahydrate).

Common Name	Chemical Name	CAS No:	Wt. %
Ulexite	Sodium-Calcium Pentaborate Octahydrate	1319-33-1	83.90-89.00
Calcite	Calcium Carbonate	1317-65-3	6.00-10.00
Dolomite	Calcium Magnesium Carbonate	16389-88-1	1.00-2.00
Clay	-	-	4.00-6.00

SECTION 4. First-aid Measures

4.1. Description of first aid measures

General advice

Move out of dangerous area. Seek medical attention. Show this safety data sheet to the doctor in attendance.

Skin contact

Wash with soap and water. Seek medical attention.

Eye contact

As with any chemical exposure to the eye, flush eyes with water for at least 20-minutes. Seek medical attention.

Inhalation

If symptoms such as nose or throat irritation are observed, remove person to fresh air. If not breathing, give artificial respiration. Seek medical attention.

Ingestion

If large amounts are swallowed (i.e. more than one teaspoon), give two glasses of water or milk to drink and seek medical attention. Never give anything by mouth to an unconscious person.

Notes for the doctor

Treat symptomatically.

SECTION 5. Fire-fighting Measures Identification

5.1. Suitable Extinguishing media

Use fire extinguishing media suitable for surrounding fires.

5.2. Specific hazards arising from the chemical

None – Ulexite is non-flammable, combustible or explosive. The product is itself a flame retardant.

5.3. Special protective actions for fire-fighters

Firefighters should wear pressure demand, self-contained breathing apparatus and full turn-out gear.

SECTION 6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing dust. In case of exposure to prolonged or high level of airborne dust, wear a personal respirator in compliance with national legislation.

6.2. Environmental precautions

Ulexite is somewhat water-soluble and may, at high concentrations cause damage to trees or vegetation by root absorption (see section 12). Do not flush to drains.

6.3. Methods and materials for containment and cleaning up

Land spill

Vacuum, shovel or sweep up ulexite and place in containers for disposal in accordance with applicable local, state, and federal laws and regulations. Avoid contamination of water bodies during clean up and disposal. Avoid breathing dust.

Spillage into water

Where possible, remove any intact containers from the water. Advise local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns the boron value to its normal environmental background level (see sections 12, 13 and 15).

6.4. Reference to other sections

See sections 8 and 13 for further information.

SECTION 7. Handling and Storage

7.1. Precautions for safe handling

To maintain package integrity and to minimize caking of the product, bags should be handled on a first-in first out basis. Good housekeeping and dust prevention procedures should be followed to minimize dust generation and accumulation. Use with appropriate local exhaust ventilation. The product should be kept away from strong reducing agents. Apply above handling advice when mixing with other substances.

7.2. Conditions for safe storage

Keep containers closed and store indoors in a dry well ventilated location. Provide appropriate ventilation and store bags such as to prevent any accidental damage.

7.3. Specific end use

See section 1.4.

SECTION 8. Exposure Controls/Personal Protection

8.1. Control parameters

Occupational exposure limits;

OSHA-PEL*: 15 mg/m³ total dust
5 mg/m³ respirable dust

Cal OSHA-PEL*: 10 mg/m³

Biological limit values;

Currently, there is no Biological Limit Value (BLV) determined for this substance.

**OSHA PELs are based on an 8-hour time weighted average (TWA) exposure.*

For the equivalent limits in other countries, please consult the local regulatory authority.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide general or local exhaust ventilation systems to maintain airborne concentrations of Ulexite dust below specific exposure limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

8.2.2. Individual protection measures, such as personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eyes and hand protection

Handle with gloves. Wear eye protection suitable for job tasks.

8.2.3. Environmental exposure controls

No special requirements (See section 6).

SECTION 9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance:	light grey, ground powder
Odor:	Odorless
Odor threshold:	No data available
pH:	No data available
Melting point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	Not flammable
Evaporation rate:	No data available
Flammability (solid, gas):	Not flammable
Upper/lower flammability or explosive limits:	Not applicable
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility in water:	Low solubility
Partition coefficient: n-octanol/water:	No data available
Auto-Ignition temperature:	Not flammable
Decomposition temperature:	Dehydration begins at 45 °C.
Viscosity:	Not applicable
Explosion properties:	Not explosive
Oxidizing properties:	Not applicable

9.2. Other information

Bulk Density:	62.43 lbs/ft ³ (1 ton/m ³ max)
---------------	--

SECTION 10. Stability and Reactivity

10.1. Reactivity

Ulexite is a stable product, but when heated it can dehydrate.

10.2. Chemical stability

Ulexite is stable at room temperature under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No known hazardous reactions

10.4. Conditions to avoid

Avoid excessive heat, direct sunlight, generating dust, moisture, static discharges and high temperatures (See section 7).

10.5. Incompatible materials

Incompatible with oxidizing agents, acids, reducing agents and sources of ignition. Reaction with strong reducing agents such as metal hydrides will generate hydrogen gas which could create an explosive hazard.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11. Toxicological Information

11.1. Information on toxicological effects

Ulexite does not meet the criteria for classification as hazardous according to 29 CFR 1910. Exempt from REACH registration in accordance with Annex V.7. A hazard assessment has been conducted by "Harlan Laboratories" and the outcome was that Ulexite is not a hazardous substance

Acute toxicity	Oral	No data available.
	Dermal	No data available.

Inhalation	No data available.
Classification for acute toxicity is not warranted.	
Skin corrosion /irritation	No data available.
Classification for irritation/corrosion is not warranted.	
Serious eye damage /irritation	No data available.
Classification is not warranted.	
Respiratory or skin sensitization	No data available.
Ulexite is not considered to be a skin sensitizer based on experience in handling and low absorption through the skin.	
Classification for sensitization is not warranted.	
Mutagenicity	in-vitro Mutagenicity In-vivo Mutagenicity Germ cell mutagenicity
	No data available. No data available. No data available.
Classification for mutagenicity is not warranted	
Carcinogenicity	No data available.
Classification for carcinogenicity is not warranted.	
Reproductive toxicity	Fertility Developmental toxicity
	No data available. No data available.
Classification for reproductive toxicity is not warranted	
STOT – single exposure	No data available.
Classification for specific target organ toxicity is not warranted.	
STOT – repeated exposure	No data available.
Classification for specific target organ toxicity is not warranted.	
Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12. Ecological Information

No data is available for Ulexite. Therefore **ecotoxicity data of boron are provided.**

12.1. Toxicity

Phytotoxicity: Although Boron is an essential micronutrient for healthy growth of plants, it can be harmful to boron-sensitive plants in higher quantities. Care should be taken to minimize the amount of Ulexite released to the environment.

Fish Toxicity:

Rainbow Trout (*S.gairdneri*)

24 day LC50 = 150.0 mg/B/L

36 day NOEC-LOEC = 0.75-1 mg/B/L

Goldfish (*Carassius auratus*)

3 Day LC50 = 178 mg B/L

7 day NOEC = 26.50 mg/B/L

Invertebrate toxicity:

The acute toxicity (LC50) to *Daphnia magna* Straus in natural water is reported to be 133 mg B/L (48 h). Chronic toxicity (21-day NOEC-LOEC) is reported to be 6-13 mg B/L.

12.2. Persistence and degradability

Boron is naturally occurring and ubiquitous in the environment.

12.3. Bioaccumulative potential

Boron is a naturally occurring element. Boron does not accumulate up the food chain. It is not expected to bioconcentrate in fish.

12.4. Mobility in soil

Ulexite is poorly soluble in water and will leach through the soil at very slow rate.

12.5. Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6. Other adverse effects No specific adverse effects known.

SECTION 13. Disposal Considerations

13.1. Disposal methods

Dispose of in accordance with all local, state, and federal regulations. Contact a licensed waste disposal service to dispose of this material. Surplus product should, if possible, be used for an appropriate application.

SECTION 14. Transport Information

US DOT

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15. Regulatory Information

15.1. Safety health and environmental regulations/legislation specific for the substance:

Ulexite is a naturally occurring mineral.

15.2. Chemical Safety Assessment:

Exempt from REACH registration in accordance with Annex V.7. A hazard assessment has been conducted by "Harlan Laboratories Ltd." and the outcome was that Ulexite is not a hazardous substance

REACH Registration No: Exempt from registration under REACH Regulation according to Article 2(7)(b). Ulexite is a natural occurring mineral which is not chemically modified, therefore, considered within the scope of Annex V (7) of the REACH Regulation.

SECTION 16. Other Information

Data are based on our latest knowledge but do not constitute a guarantee for any specific product features and do not establish a legally valid contractual relationship.

Key literature references and sources for data:

1. ECOTOX: <http://www.epa.gov/ecotox>
2. TOXNET: <http://www.toxnet.nlm.nih.gov>
3. Stewart KR (1991), Salmonella/microsome plate incorporation assay of boric acid. Testing laboratory: SRI International. Report No.:2389-A200-91. Owner company: U.S. Borax. Report date: 1991-08-12.
4. O'Loughlin KG (1991), Bone marrow erythrocyte micronucleus assay of boric acid in Swiss Webster Mice. Testing laboratory: SRI International. Report No.:2389-C400-91. Owner company: U.S. Borax. Report date: 1991-08-19.
5. NTP (1987), Toxicology and carcinogenesis studies of boric acid in B6C3F1 Mice (feed studies). National Toxicology Program (NTP) Technical Report Series: No. 324. Testing laboratory: US Department of Health and Human Services.
6. Weir RJ (1966c), Three generation reproductive study – rats. Boric acid. Final report. Testing laboratory: Hazleton Laboratories Inc. Report No.: TX-66-16.
7. Weir RJ and Fisher RS (1972), Toxicologic studies on borax and boric acid. Toxicology and Applied Pharmacology 23:351-364.

8. Duydu Y, Başaran N, Ustundağ A, Aydın S, Undeğer U, Ataman OY, Aydos A, Duker Y, Ickstadt K, Waltrup BS, Golka K, Bolt HM (2011), Reproductive toxicity parameters and biological monitoring in occupationally and environmentally boron-exposed persons in Bandırma, Turkey. Arch Toxicol 85:589-600.
9. Duydu Y, Başaran N, Ustundağ A, Aydın S, Undeğer U, Ataman OY, Aydos A, Duker Y, Ickstadt K, Waltrup BS, Golka K, Bolt HM (2011), Assessment of DNA integrity (COMET) in sperm cells of boron-exposed workers. Arch Toxicol 86:27-35.
10. Godfrey P (2011), Data Search, Chemical Hazard Assessment and Preparation of CLP Notification on Colemanite for ETI MINE SA. Cambridge Environmental Assessments – ADAS, Report Number CEA 602/2.
11. Robbins WA, Xun L, Jia J, Kennedy N, Elashoff D, Ping L (2010), Chronic boron exposure and human semen parameters, Repr Tox 29(2):184-90.
12. U.S. Environmental Protection Agency, Toxicological review of boron and compounds, EPA 635/04/052, June 2004.

16.4. Disclaimer of Liability

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its accuracy, reliability or completeness. The conditions or methods of handling, storage use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. It is the user's responsibility to satisfy themselves as to the suitability and completeness of such information for their own particular use. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. Please note that the provision of this SDS being not mandatory, only an English version of this latter is available.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

(End of Safety Data Sheet)